


TIPO IM04

SEDE G09

10 m/s → 10 bar



Item	CODIFICAÇÃO DO SELO										Ø A (mm) ± 0,05	Ø B (mm)	Ø C (mm) + 0,1	Ø D (mm) ± 0,05	E (mm)	F (mm)	Ø G (mm)	H (mm)	
	Tipo & Eixo	Conjunto Rotativo	Elementos de Vedação	Face Rotativa	Partes Metálicas	Sede Estacionária	Conjunto Estacionário												
								S Mola Sentido Direito	A Mola Sentido Esquerdo	B Nitrílica									E E.P.D.M.
1	IM040010						G09	10	19,0	17,0	21,0	10,0	15,5	3	7,5				
2	IM040012						G09	12	21,0	19,0	23,0	10,0	16,0	3	7,5				
3	IM040014						G09	14	23,0	21,0	25,0	10,0	16,5	3	7,5				
4	IM040016						G09	16	26,0	23,0	27,0	10,0	18,0	3	7,5				
5	IM040018						G09	18	29,0	27,0	33,0	11,5	19,5	3	7,5				
6	IM040020						G09	20	31,0	29,0	35,0	11,5	22,0	3	7,5				
7	IM040022						G09	22	33,0	31,0	37,0	11,5	21,5	3	7,5				
8	IM040024						G09	24	35,0	33,0	39,0	11,5	23,5	3	7,5				
9	IM040025						G09	25	36,0	34,0	40,0	11,5	26,5	3	7,5				
10	IM040028						G09	28	40,0	37,0	43,0	11,5	26,5	3	7,5				
11	IM040030						G09	30	43,0	39,0	45,0	11,5	26,5	3	7,5				
12	IM040032						G09	32	46,0	42,0	48,0	11,5	28,5	3	7,5				
13	IM040035						G09	35	49,0	44,0	50,0	11,5	28,5	3	10,0				
14	IM040038						G09	38	53,0	49,0	56,0	14,0	33,5	4	10,0				
15	IM040040						G09	40	56,0	51,0	58,0	14,0	36,0	4	10,0				
16	IM040043						G09	43	59,0	54,0	61,0	14,0	38,5	4	10,0				
17	IM040045						G09	45	61,0	56,0	63,0	14,0	39,5	4	10,0				
18	IM040048						G09	48	64,0	59,0	66,0	14,0	46,0	4	10,0				
19	IM040050						G09	50	66,0	62,0	70,0	15,0	45,0	4	10,0				
20	IM040053						G09	53	69,0	65,0	73,0	15,0	47,0	4	10,0				

TIPO IM04

SEDE G09

Item	CODIFICAÇÃO DO SELO																										
	Tipo & Eixo	Materiais						Conjunto Estacionário	Ø A (mm) ± 0,05	Ø B (mm)	Ø C (mm) + 0,1	Ø D (mm) ± 0,05	E (mm)	F (mm)	Ø G (mm)	H (mm)											
		Conjunto Rotativo	Elementos de Vedação		Face Rotativa		Partes Metálicas										Sede Estacionária										
S	A	B	E	V	F	S	T	U	4	4	6	R	S	T	U	4											
21	IM040055																	G09	55	71,0	67,0	75,0	15,0	49,0	4	10,0	
22	IM040058																		G09	58	76,0	70,0	78,0	15,0	55,0	4	10,0
23	IM040060																		G09	60	78,0	72,0	80,0	15,0	55,0	4	10,0
24	IM040063																		G09	63	83,0	75,0	83,0	15,0	55,0	4	10,0
25	IM040065																		G09	65	84,0	77,0	85,0	15,0	55,0	4	12,0
26	IM040068																		G09	68	88,0	81,0	90,0	18,0	55,0	4	12,0
27	IM040070																		G09	70	90,0	83,0	92,0	18,0	57,0	4	12,0
28	IM040075																		G09	75	98,0	88,0	97,0	18,0	62,0	4	12,0
29	IM040080																		G09	80	100,0	95,0	105,0	18,2	61,8	4	12,0